


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS |         |  |            |         |          |
|-----------|---------|--|------------|---------|----------|
| REV       | ECR     | DESCRIPTION  | DATE       | INITIAL | APPROVED |
| A         | 14-0184 | CH'D TITLEBLOCK WAS RED BARN IS DART. -1 CH'D DIM WAS 4X .44 IS 2X .44. -3 CH'D DESCRIPTION WAS WENCH IS WRENCH, CH'D SPECIFICATIONS WAS 1/4 X ??? X 10 IS 1/4 X 2-5/8 X 10. ADDED MISSING DIM 2.416. CH'D DIM WAS 4X .758 IS 2X .758. | 10/15/2014 | DJN     | GE       |
| 1         | 14-0220 | UPDATED DWG. TO NEW STANDARDS. -5 ADDED PISTOL CASE.   | 11/20/2014 | RJC     | JAG      |




| ASSY QTY | ASSY QTY | B/O | Part # | UNIT QTY | Description | Material | B/O INFORMATION OR SPECIFICATIONS | PG. |
|----------|----------|-----|--------|----------|-------------|----------|-----------------------------------|-----|
|          |          |     | -1     | 1        | WRENCH      | A36 P&O  |                                   | 2   |
|          |          |     | -3     | 1        | WRENCH      | A36 P&O  |                                   | 3   |
|          |          | B/O | -5     | 1        | PISTOL CASE | PLASTIC  | (RSR GROUP #10137)                | N/S |

|   |                        |
|---|------------------------|
| <b>DART</b><br>AEROSPACE  |                        |
| TITLE WRENCH SET, FLIGHT CONTROL SERVO-ACTUATOR CLUTCH ADJUSTMENT   |                        |
| DWG NO.   | REV                    |
| RBW895-3101-05-101  | 1                      |
| MAT'L   | DRAWN BY: CLOUGH       |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES<br>.XXX ± .005 FRACTIONS ± 1/8<br>.XX ± .01 ANGLES ± 5°<br>.X ± .1 | APPROVED <i>D Weil</i> |
| 1. BREAK ALL SHARP EDGES .015 x 45°<br>OR .015R   | HEAT TREAT FINISH      |
| 2. DIMENSIONAL LIMITS APPLY AFTER PLATING   | SPEC                   |
| SCALE 1:2   | USED ON MODEL AW119    |
| DATE 4/26/2012  | SHEET 1 OF 3           |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS |         |                                   |            |         |          |
|-----------|---------|-----------------------------------|------------|---------|----------|
| REV       | ECR     | DESCRIPTION                       | DATE       | INITIAL | APPROVED |
| A         | 14-0184 | -1 CH'D DIM WAS 4X .44 IS 2X .44. | 10/15/2014 | DJN     | GE       |




(-1)  
WRENCH

|   |                                       |
|---|---------------------------------------|
| <b>DART</b><br>AEROSPACE  |                                       |
| TITLE WRENCH SET, FLIGHT CONTROL SERVO-ACTUATOR CLUTCH ADJUSTMENT |                                       |
| DWG NO. RBW895-3101-05-101-1                                      | REV 1                                 |
| MAT'L A36 P&O   | DRAWN BY: CLOUGH                      |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES            | APPROVED <i>D Weil</i>                |
| .XXX ± .005<br>.XX ± .01<br>.X ± .1                               | HEAT TREAT<br>FINISH CAD PLATE YELLOW |
| FRACTIONS ± 1/8<br>ANGLES ± 5°                                    | SPEC QQ-P-416F, TYPE II, CLASS II     |
| 1. BREAK ALL SHARP EDGES .015 x 45°<br>OR .015R                   | USED ON MODEL                         |
| 2. DIMENSIONAL LIMITS APPLY AFTER<br>PLATING                      | AW119                                 |
| SCALE 1:2   | DATE 4/26/2012                        |
| SHEET 2 OF 3  |                                       |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS |         |  |            |         |          |
|-----------|---------|--|------------|---------|----------|
| REV       | ECR     | DESCRIPTION  | DATE       | INITIAL | APPROVED |
| A         | 14-0184 | -3 ADDED MISSING DIM 2.416, CH'D DIM WAS 4X .758 IS 2X .758. | 10/15/2014 | DJN     | GE       |



(-3)  
WRENCH

|   |                                   |
|---|-----------------------------------|
| <b>DART</b><br>AEROSPACE  |                                   |
| TITLE WRENCH SET, FLIGHT CONTROL SERVO-ACTUATOR CLUTCH ADJUSTMENT |                                   |
| DWG NO. RBW895-3101-05-101-3                                      | REV 1                             |
| MAT'L A36 P&O   | DRAWN BY: CLOUGH                  |
| UNLESS OTHERWISE SPECIFIED<br>DIMENSIONS ARE IN INCHES            | APPROVED <i>D Weil</i>            |
| .XXX ± .005 FRACTIONS ± 1/8                                       | HEAT TREAT                        |
| .XX ± .01 ANGLES ± 5°   | FINISH CAD PLATE YELLOW           |
| .X ± .1   | SPEC QQ-P-416F, TYPE II, CLASS II |
| 1. BREAK ALL SHARP EDGES .015 x 45°<br>OR .015R                   | USED ON MODEL                     |
| 2. DIMENSIONAL LIMITS APPLY AFTER PLATING                         | AW119                             |
| SCALE 1:2   | DATE 4/26/2012                    |
| SHEET 3 OF 3  |                                   |